# **TOSHIBA** Leading Innovation >>>

# **Toshiba Air Conditioning - VRF Data Sheet**

## MMF-AP0186H-E Floor-mounted cabinet


#### Features

- Wide automatic vertical and horizontal air distribution with an angle up to 150°
- Large capacity range: cooling capacities from 4.5 kW to 16 kW, heating capacities from 5 kW to 18 kW
- Very small footprint 0.128 m<sup>2</sup> up to 8 kW and 0.243 m<sup>2</sup> up to 16 kW
- High air flows from 660 m<sup>3</sup>/h to 2160 m<sup>3</sup>/h

### **Technical Data**

Model reference		MMF-AP0186H-E
Nominal cooling	kW	5.6
Nominal heating	kW	6.3
Capacity code		2.0
Power input (cool/heat)	kW	0.055
UK cooling	kW	5.1
UK sensible cooling	kW	3.9
UK heating	kW	5.0
Starting current	Α	0.53
Running current	Α	0.38
Suggested fuse size	Α	5
Power supply	V-ph-Hz	220/240-1-50
Interconnecting cable		2-core screened 1.5 mm
Sound power H-M-L	dB(A)	59-56-51
Sound pressure H-L	dB(A)	46-37
Air flow H-L	m³/h	900-660
Air flow H-L	l/s	249-183
Dimensions (H x W x D)	mm	1750 x 600 x 210
Unit weight	kg	46







All UK duties are based on Cooling Indoor air temperature 22°C DB/16°C WB Outdoor air temperature 28°C DB 50% RH, high fan speed, 5 m pipe run. Heating Indoor air temperature 21°C DB Outdoor air temperature -4°C DB 100% RH, high fan speed, 5 m pipe run. Values are based on the maximum compressor output. Data obtained from Toshiba Air Conditioning Web Data July 2013.

