TOSHIBA Leading Innovation >>>

Toshiba Air Conditioning - RAV-RM Data Sheet

RAV-RM801CTP-E Ceiling-suspended

Features


- Redesigned for use with refrigerant R32
- The best solution when no ceiling void is available
- Self-cleaning
- Air flow angle is automatically set to the most suitable setting, according to requirements




Technical Data

Model reference			RAV-RM801CTP-E
Nominal	Cooling Capacity	kW	6.9
	Heating Capacity	kW	7.7
	EER/COP	W/W	2.9/3.62
UK	Cooling Total/Sensible	kW	6.60/5.00
	Heating	kW	5.51
Cooling EN14825	Range Min Max.	kW	1.5 - 7.4
	Power Input	kW	2.38
	Pdesign	kW	6.9
	SEER/Energy Efficiency Class		5.62/A+
	Seasonal Energy Consumption	kWh/a	429
Heating EN14825	Range Min Max.	kW	1.5 - 9.0
	Power Input	kW	2.13
	Pdesign	kW	5.10
	SCOP/Energy Efficiency Class		4.21/A+
	Seasonal Energy Consumption	kWh/a	2372
Air Flow	High - Medium - Low	l/s	392 - 278 - 208
	High - Medium - Low	m³/h	1410 - 1000 - 750
Sound	Pressure High - Medium - Low	dB(A)	41 - 36 - 29
	Power High - Medium - Low	dB(A)	56 - 51 - 44
Unit	Height x Width x Depth	mm	235 x 1270 x 690
	Weight	kg	29
Pipe Connection	Flare Connections (gas - liquid)	inch	5/8 -3/8
	Drain Pipe Connection Upper - Lower	mm	VP26/20
Remote Controller			RBC-AMT32E
Power Cable	Outdoor to Indoor		3 core + earth

Dimensional Drawings





Cool Designs Ltd



www.cdlweb.info



