


Toshiba Air Conditioning Data Sheet

RAV-GM901CTP-E
Ceiling



Model Reference		RAV-GM901CTP-E	
Nominal	Cooling Capacity	kW	8.0
	Heating Capacity	kW	9.0
	EER/COP	W/W	3.10/3.40
UK	Cooling Total / Sensible	kW	7.83/6.61
	Heating	kW	6.12
Cooling EN14825	Range Min-Max	kW	1.9 - 8.8
	Power Input	kW	2.58
	Pdesign	kW	6.9
	SEER/Energy Efficiency Class		6.10/A++
	Seasonal Energy Consumption	kWh/a	459
Heating EN14825	Range Min-Max	kW	1.8 - 9.9
	Power Input	kW	2.65
	Pdesign	kW	5.10
	SCOP/Energy Efficiency Class		4.60/A++
	Seasonal Energy Consumption	kWh/a	1917
Airflow	High - Medium - Low	l/s	444 - 278 - 250
	High - Medium - Low	m ³ /h	1600 - 1000 - 900
Sound	Pressure: High - Medium - Low	dB(A)	42 - 38 - 30
	Power: High - Medium - Low	dB(A)	57 - 53 - 45
Dimensions	Height x Width x Depth	mm	235 x 1586 x 690
	Weight	kg	29
Pipe Connection	Flare Connections (gas - liquid)	inch	5/8 - 3/8
	Drain Pipe Connection Upper - lower	mm	VP26/20
Remote Controller			Optional
Power Cable	Outdoor to Indoor		3 core + earth


* Waiting for published data

TOSHIBA

- Redesigned for use with refrigerant R32
- The best solution when no ceiling void is available
- Self-cleaning
- Air flow angle is automatically set to the most suitable setting, according to requirements

■ External dimensions

(Unit: mm)



Model	A	B	C	D	E	F	G
GM90	1586	1540	Ø9.5	Ø15.9	376	303	378