


## SEIYA: RAS - 13E2AVG-E - 16E2AVG-E

- On demand defrost.
- Silent CDU noise reduction function.
- Power supply to indoor or outdoor unit.
- Energy Class A++/A++ cooling and heating modes.
- Toshiba Inverter and compressor technology with R32.



Hi - Res Image 

Retail Price (interactive icons):



UK



ROI



### ENTRY TIER PRODUCT RANGE

CODE		33		42	
<b>Performance</b>					
<b>Outdoor Unit</b>		<b>RAS-</b>	<b>13E2AVG-E</b>	<b>16E2AVG-E</b>	
Operating Range	Cooling	C°	-15 ~ 46	-15 ~ 46	
	Heating		-15 ~ 24	-15 ~ 24	
Air Flow	High	m3/h - l/s	1980 - 550	2160 - 600	
Sound	Pressure High Cooling/Heating/Silent	dB(A)	48 / 49 / 43	50 / 51 / 43	
	Power High Cooling/Heating/Silent	dB(A)	61 / 62 / 56	63 / 64 / 59	
Unit	Height x Width x Depth	mm	530 x 660 x 240	550 x 780 x 290	
	Weight	kg	22	30	
Pipe Connection	Flare Connections (gas-liquid)	inch	3/8" - 1/4"	1/2" - 1/4"	
	Min.-Max. Length	m	2-15	2-20	
	Maximum Height Difference	m	±12	±12	
	Drain Port Connection	mm	16	16	
Refrigerant Charge	Base Charge/Chargeless Length	m	0.54/15	0.68/15	
	Additional Charge	g/m	0	20	
Run Current	Maximum	Amps	7.40	9.00	
Power Cable	Outdoor to Indoor		3 core + earth	3 core + earth	
Power Supply	Suggested Fuse Size	V/ph/Hz-A	220-240/1/50-16	220-240/1/50-16	

### Related Items - 13E2AVG-E

- [Full Specification](#)
- [Dimensional Drawing](#)
- [Wiring Diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



### Related Items - 16E2AVG:

- [Full specification](#)
- [Dimensional drawing](#)
- [Wiring diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



\*All [Accessories / Controls](#)

