

SEIYA: RAS - 18E2AVG-E - 24E2AVG-E

- On demand defrost.
- Silent CDU noise reduction function.
- Power supply to indoor or outdoor unit.
- Energy Class A++/A++ cooling and heating modes.
- Toshiba Inverter and compressor technology with R32.



Hi - Res Image

Retail Price (interactive icons):



UK



ROI



ENTRY TIER PRODUCT RANGE

CODE		50		65	
Performance					
Outdoor Unit		RAS-	18E2AVG-E	24E2AVG-E	
Operating Range	Cooling	C°	-15 ~ 46	-15 ~ 46	
	Heating		-15 ~ 24	-15 ~ 24	
Air Flow	High	m3/h - l/s	2160 - 600	2220 - 617	
Sound	Pressure High Cooling/Heating/Silent	dB(A)	50 / 51 / 44	54 / 54 / 49	
	Power High Cooling/Heating/Silent	dB(A)	63 / 64 / 59	67 / 67 / 62	
Unit	Height x Width x Depth	mm	550 x 780 x 290	550 x 780 x 290	
	Weight	kg	34	38	
Pipe Connection	Flare Connections (gas-liquid)	inch	1/2" - 1/4"	1/2" - 1/4"	
	Min.-Max. Length	m	2-20	2-20	
	Maximum Height Difference	m	±12	±12	
	Drain Port Connection	mm	16	16	
Refrigerant Charge	Base Charge/Chargeless Length	m	0.93/15	1.18/15	
	Additional Charge	g/m	20	20	
Run Current	Maximum	Amps	9.25	10.60	
Power Cable	Outdoor to Indoor		3 core + earth	3 core + earth	
Power Supply	Suggested Fuse Size	V/ph/Hz-A	220-240/1/50-16	220-240/1/50-16	

Related Items - 18E2AVG-E:

- [Full Specification](#)
- [Dimensional drawing](#)
- [Wiring Diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



Related Items - 24E2AVG-E:

- [Full Specification](#)
- [Dimensional Drawing](#)
- [Wiring Diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



*All [Accessories / Controls](#)

