

HAORI: RAS - 10J2AVSG-E1 - 16J2AVSG-E1

- Power supply to indoor or outdoor unit.
- Outdoor unit silent operation down to 39 dB(A).
- WI-FI compatible with advanced energy monitoring.
- Energy Class A+++/A+++ cooling and heating modes.
- Toshiba Inverter and compressor technology with R32.



Hi - Res Image

Retail Price (interactive icons):



UK



ROI



HIGH TIER PRODUCT RANGE

CODE			25	35	46
Performance					
Outdoor Unit		RAS-	10J2AVSG-E1	13J2AVSG-E1	16J2AVSG-E1
Operating Range	Cooling	C°	-15 ~ 46	-15 ~ 46	-15 ~ 46
	Heating		-15 ~ 24	-15 ~ 24	-15 ~ 24
Air Flow	High	m3/h - l/s	1890 - 524	1950 - 540	2040 - 566
Sound	Pressure High Cooling/Heating/Silent	dB(A)	44 - 46	46 - 48	48 - 50
	Power High Cooling/Heating/Silent	dB(A)	59 - 59	59 - 61	61 - 63
Unit	Height x Width x Depth	mm	550x780x290	550x780x290	550x780x290
	Weight	kg	26	30	33
Pipe Connection	Flare Connections (gas-liquid)	inch	3/8" - 1/4"	3/8" - 1/4"	1/2" - 1/4"
	Min.-Max. Length	m	2-20	2-20	2-20
	Maximum Height Difference	m	±12	±12	±12
	Drain Port Connection	mm	16	16	16
Refrigerant Charge	Base Charge/Chargeless Length	m	0.55/15	0.8/15	0.8/15
	Additional Charge	g/m	20	20	20
Run Current	Maximum	Amps	3.25	4.80	6.75
Power Cable	Outdoor to Indoor		3 core + earth	3 core + earth	3 core + earth
Power Supply	Suggested Fuse Size	V/ph/Hz-A	220-240/1/50-10	220-240/1/50-10	220-240/1/50-16

Related Items - 10J2AVSG-E1:

- [Full Specification](#)
- [Dimensional Drawing](#)
- [Wiring Diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



Related Items - 13J2AVSG-E1:

- [Full Specification](#)
- [Dimensional Drawing](#)
- [Wiring Diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



Related Items - 16J2AVSG-E1:

- [Full Specification](#)
- [Dimensional Drawing](#)
- [Wiring Diagram](#)
- [Noise Curve Data](#)
- [Installation Manual](#)



*All [Accessories / Controls](#)

