

## DAISEIKAI 9: RAS - 13PKVPG-E

- Power supply to indoor or outdoor unit.
- 3D Airflow with vertical & horizontal louvres.
- Less than 20dB(A) in silent mode operation.
- Toshiba's leading indoor air quality solution with double filtration system.
- Market Benchmark for High efficiency solutions with A+++ in Heating & Cooling.



Retail Price (interactive icons):

Hi - Res Image



UK



ROI



### HIGH TIER PRODUCT RANGE

CODE		35	
<b>Performance</b>			
Indoor Unit	RAS-		13PKVPG-E
Outdoor Unit	RAS-		13PAVPG-E
Nominal	Cooling Capacity	kW	3.5
	Heating Capacity	kW	4.0
	EER/COP	W/W	4.67/5.00
UK	Cooling Total/Sensible	kW	3.42/2.74
	Heating	kW	2.51
Cooling EN14825	Range Min. - Max.	kW	0.90 - 4.10
	Power Input	kW	0.75
	Pdesign	kW	3.5
	SEER/Energy Efficiency Class		9.50/A+++
	Seasonal Energy Consumption	kWh/a	129
Heating EN14825	Range Min. - Max.	kW	0.80 - 6.30
	Power Input	kW	.80
	Pdesign	kW	3.6
	SCOP/Energy Efficiency Class		5.10/A+++
	Seasonal Energy Consumption	kWh/a	988

<b>Indoor Data</b>			
Air Flow	High - Low	l/s	200 - 83
	High - Low	m3/h	720 - 300
Sound	Pressure High - Low	dB(A)	45 - 20
	Power High - Low	dB(A)	60 - 35
Unit	Height x Width x Depth	mm	293 x 851 x 270
	Weight	kg	14
Pipe Connection	Flare Connections (gas - liquid)	inch	3/8" - 1/4"
	Drain Pipe Connection OD/ID	mm	16/14
Remote controller			WH-TA01LE

### Accessories

<a href="#">RB-N105S-G</a>	Wireless adapter (Without cable)
----------------------------	----------------------------------

\*All [Accessories / Controls](#)

### Related Items:

- [BIM Files](#)
- [CAD Files](#)
- [Airflow/ Fan Curve](#)
- [Dimensional Drawing](#)
- [Wiring Diagram](#)
- [Installation Manual](#)
- [Owners Manual](#)



### -1. Indoor Unit

